

## DESCRIPTION

PriLieve™ Enrofloxacin (Baytril) Primate Antibiotic Tablet.

Storage conditions are particularly critical to TestDiet® products, due to the absence of antioxidants or preservative agents. To provide maximum protection against possible changes during storage, store in a dry, cool location. Storage under refrigeration (2° C) is recommended. Maximum shelf life is six months. (If long term studies are involved, storing the diet at -20° C or colder may prolong shelf life.) Be certain to keep in air tight containers.

Product Forms Available*	Catalog #
5 gm Tablet	1812465
5 gm Tablet, Fruit Punch	1814285
5 gm Tablet, Grape	1814213

\*Other Forms Available On Request

## INGREDIENTS

Active ingredient: Enrofloxacin (Baytril; 50 mg/5 gm Tablet)

Inactive ingredients: Purified Primate Diet Base, Kaolin, Banana Flakes, Silicon Dioxide, Artificial Flavors, Pectin, Papain.

## FEEDING DIRECTIONS

Dosage: Speak to your veterinarian about proper dosing. Do not feed to pregnant or nursing females. Plenty of fresh, clean water should be available at all times.

### CAUTION:

**Perishable - store upon receipt.**

**For laboratory animal use only; not for human consumption.**

4/30/2010

## NUTRITIONAL PROFILE<sup>1</sup>

<b>Protein, %</b>	<b>12.4</b>	<b>Minerals</b>	
Arginine, %	0.47	<b>Ash, %</b>	<b>4.3</b>
Histidine, %	0.35	Calcium, %	0.41
Isoleucine, %	0.65	Phosphorus, %	0.34
Leucine, %	1.17	Phosphorus (available), %	0.34
Lysine, %	0.98	Potassium, %	0.58
Methionine, %	0.35	Magnesium, %	0.11
Cystine, %	0.27	Sulfur, %	0.10
Phenylalanine, %	0.65	Sodium, %	0.26
Tyrosine, %	0.69	Chloride, %	0.43
Threonine, %	0.52	Fluorine, ppm	0.2
Tryptophan, %	0.15	Iron, ppm	137
Valine, %	0.77	Zinc, ppm	43
Alanine, %	0.37	Manganese, ppm	36
Aspartic Acid, %	0.87	Copper, ppm	7
Glutamic Acid, %	2.77	Cobalt, ppm	0.10
Glycine, %	0.26	Iodine, ppm	1.54
Proline, %	1.60	Chromium, ppm	1.94
Serine, %	0.75	Selenium, ppm	0.34
Taurine, %	0.00		
<b>Fat (ether extract), %</b>	<b>2.5</b>	<b>Vitamins</b>	
<b>Fat (acid hydrolysis), %</b>	<b>2.5</b>	Carotene, ppm	0.0
Cholesterol, ppm	0	Vitamin A, IU/g	7
Linoleic Acid, %	1.45	Vitamin D-3 (added), IU/g	7.4
Linolenic Acid, %	0.02	Vitamin E, IU/kg	37
Arachidonic Acid, %	0.00	Vitamin K (as menadione), ppm	0.4
Omega-3 Fatty Acids, %	0.02	Thiamin Hydrochloride, ppm	4
Total Saturated Fatty Acids, %	0.32	Riboflavin, ppm	3.7
Total Monounsaturated Fatty Acids, %	0.61	Niacin, ppm	37
Polyunsaturated Fatty Acids, %	1.47	Pantothenic Acid, ppm	10
		Folic Acid, ppm	7.4
		Pyridoxine, ppm	3.05
		Biotin, ppm	0.1
<b>Fiber (max), %</b>	<b>4.3</b>	Vitamin B-12, mcg/kg	7
Neutral Detergent Fiber <sup>2</sup> , %	3.4	Choline Chloride, ppm	724
Acid Detergent Fiber <sup>3</sup> , %	2.9	Ascorbic Acid, ppm	3,567
<b>Nitrogen-Free Extract (by difference), %</b>	<b>66.4</b>		
Starch, %	3.51		
Glucose, %	0.00		
Fructose, %	0.00		
Sucrose, %	41.59		
Lactose, %	0.00		
<b>Total Digestible Nutrients, %</b>	<b>46.1</b>		
<b>Energy (kcal/g)<sup>4</sup></b>	<b>3.38</b>		
<b>From:</b>	<b>kcal</b>	<b>%</b>	
Protein	0.496	14.7	
Fat (ether extract)	0.229	6.8	
Carbohydrates	2.657	78.6	

1. Formulation based on calculated values from the latest ingredient analysis information. Since nutrient composition of natural ingredients varies and some nutrient loss will occur due to manufacturing processes, analysis will differ accordingly. Nutrients expressed as percent of ration on an As-Fed basis except where otherwise indicated. Moisture content is assumed to be 10.0% for the purpose of calculations.
2. NDF = approximately cellulose, hemicellulose and lignin.
3. ADF = approximately cellulose and lignin.
4. Energy (kcal/gm) - Sum of decimal fractions of protein, fat and carbohydrate x 4,9,4 kcal/gm respectively.

